




now includes
AQUASPA™
INVIGORATE
with health providing
SEA MINERALS
to enhance your
spa experience

Thank you for choosing **AQUASPA™**

The ultimate chlorine and
bromine free sanitising system

AQUASPA™
BY LO-CHLOR

Your chlorine & bromine free sanitising system



Welcome to AQUASPA™

We welcome you to **AQUASPA™** - our Australian created and manufactured **CHLORINE AND BROMINE FREE SANITISING SYSTEM**.

We hope that you spend many enjoyable hours and years using it in your Spa or Hot Tub and that it will greatly enhance the spa experience for both you and your family.

AQUASPA™ is a proven, tried and trusted, system that is both gentle to bathers with allergies or sensitive skin, as well as keeping your water healthy and sparkling.

THE BIRTH OF AQUASPA™

Since most of us can remember, **CHLORINE** or **BROMINE** had been the only recognised sanitisers for Spas and Hot Tubs as a different form of sanitisation hadn't been available.

Over the years, and for numerous diverse reasons, spa users had been looking for an alternative method of sanitising their precious Spas and Hot Tubs that didn't contain either **CHLORINE** or **BROMINE**.

Realising the necessity and demand for a new option for those spa users looking for this alternative, we decided to research the manufacture of a **NEW SANITISING SYSTEM** that would both safely and easily sanitise Spas and would be both **CHLORINE AND BROMINE FREE**.

As a result of our research, the **AQUASPA™ CHLORINE AND BROMINE FREE SANITISING SYSTEM** came into being.



WHAT IS AQUASPA™?

The technology behind the **AQUASPA™ SYSTEM** is a revolutionary combination of 3 products, the base of which is known as PHMB better known as **POLYHEXANIDE** and this is used in the sanitiser component. The sanitiser, which is specially formulated to control the growth of bacteria in your spa, is extremely gentle on skin, hair and clothing, as well as having no harsh side effects on either the spa or the equipment.

OTHER USES FOR POLYHEXANIDE

Other products containing **POLYHEXANIDE** (PHMB) are used in numerous other circumstances for disinfection such as

- Operating theatres and hospitals for
 - Post-operative dressings, surgical and non-surgical wound dressings
 - Surgical bath/hydrotherapy
 - Chronic wounds, foot ulcer and burn wound management
 - First aid
 - Surface and linen disinfection

INCREASED DEMAND

The **AQUASPA™ SYSTEM** is now being used and recommended by numerous Spa Manufacturers and Distributors all around the country.

The flow on effect of this has been an ever increasing demand on Pool and Spa Shops to stock the product from Spa & Hot Tub Owners wishing to run their spas with a **CHLORINE & BROMINE FREE SYSTEM** as they can see the many significant health and therapeutic benefits for both themselves and their families.

SPA CARE MADE EASY

You'll find that applying the **AQUASPA™ SYSTEM** is an extremely user friendly experience that will treat your spa both simply and effectively. Being totally **FREE OF CHLORINE AND BROMINE**, it doesn't smell or sting the eyes and, best of all, chemical fumes aren't there to be breathed in as is often the case with other sanitisers. What's more, the **WEEKLY 3 STEP DOSING PROCEDURE** makes it both easy and economical to administer.

Most, if not all, spa owners' perception of their spa is of something that will afford them a gentle, healthy, relaxing therapeutic experience, whilst spending as little time as possible on its upkeep. Using the **AQUASPA™ SYSTEM** will provide you with exactly that.

Bearing this in mind, we have put together for you a simple and easy to follow guide on how to keep your **AQUASPA™** in both a healthy and immaculate condition with the minimum of time, effort and expense.

Some important things you should know about your spa

THE 4 MAIN THINGS TO KEEP YOUR SPA OR HOT TUB HEALTHY AND SPARKLING ARE

1. REGULAR SANITISATION
2. CORRECT WATER BALANCE
3. A GOOD AND WELL MAINTAINED FILTRATION SYSTEM
4. THE APPROPRIATE AQUASPA™ CHEMICALS

1. SANITISATION

The primary purpose of a sanitiser is to kill potentially harmful bacteria in your spa. Heated water provides a fertile environment for bacteria to thrive in, and your sanitiser is your defence against infections.

Always dose accordingly and never use your spa without an effective sanitiser in the water (in your case **AQUASPA™ SPA SANITISER**).

2. WATER BALANCE

Water balance refers to the **pH, Total Alkalinity and Calcium Hardness** level of the spa water. These act together and have an effect on water quality, equipment and your sanitiser. They should be checked and maintained in accordance with the spa manufacturer's instructions. Generally, water is regarded as either **balanced, corrosive or scaling**.

- **Balanced water** refers to water where the correct pH, Total Alkalinity and Calcium Hardness levels are achieved.
- **Corrosive water** usually refers to water with a low pH that is acidic. This will shorten the life of equipment in your spa and may also make water uncomfortable for bathers either in aggressive fuming or skin irritation.
- **Scaling water** refers to water where the pH is generally too high and can lead to cloudy water and calcium deposits forming in pipes and around equipment.



3. FILTRATION

Obtaining the crystal clear water that you desire is dependent on a number of things and relies on them working in unison. Therefore, the **AQUASPA™ CHLORINE AND BROMINE FREE SANITISING SYSTEM** must be used in conjunction with high quality filters.

Why do you need a good and well-maintained filtration system?

The importance of good filtration cannot be stressed enough. A good filtration system is **the number one factor** in your quest to obtain healthy and sparkling water.

Good filtration

Will help keep the water healthy and clean as well as reducing the amount of time, effort and money you will need to spend on maintaining it.

Poor filtration

Will make your spa or hot tub water difficult to manage and will often result in having to drain it thus causing you extra financial and labour costs.

Your filters remove oxidised organic debris and suspended matter from your spa, providing you with both clear and sparkling water. Your filtration system should be run in accordance with manufacturer's recommendations to ensure optimum clarity.

Clean your cartridges regularly with **AQUASPA™ INSTANT FILTER KLENZ** and replace annually.

A cartridge will only hold a certain volume of debris, before flow rates and filter effectiveness diminish so it is imperative to keep cartridges as clean as possible all the time.

4. AQUASPA™ CHEMICALS FOR SPAS AND HOT TUBS

Used in conjunction with **AQUASPA™ SPA SANITISER**, our comprehensive range of **AQUASPA™ SPA CHEMICALS**, which have been designed specifically to complement the **AQUASPA™ SYSTEM**, will help maintain both the water quality and equipment efficiency of your spa for you. We have set out for you detailed descriptions of these items further on in the Guide.



HOW TO GET STARTED IN A NEW SPA OR HOT TUB WITH AQUASPA™

Treating your new spa or hot tub with the **AQUASPA™ CHLORINE & BROMINE FREE SYSTEM** is an easy process that will get you into your spa very quickly for you to start enjoying its benefits.

1. Fill spa by placing hose through filter box. Leave the cover off.
2. Add **AQUASPA™ CHLORINE REMOVER** as per label directions (all water has some chlorine) – **THIS STEP IS ESSENTIAL** (Run filtration pump **ONLY** for 30 minutes).
3. Check pH, Alkalinity and Calcium Hardness level using test strip.
 - pH should be between 7.4-7.6.
 - Alkalinity should be between 125 -150ppm.
 - Calcium Hardness should be between 200-275ppm.
 - Use **AQUASPA™ ALKALINITY ENHANCER** or **AQUASPA™ pH REDUCER** to adjust pH and Alkalinity levels.
 - Use **AQUASPA™ CALCIUM ENHANCER** to increase Calcium if necessary.
4. Add **AQUASPA™ SPA SANITISER** at **60ml per 1000 litres**.
Run filtration pump **ONLY** for 1hour.
5. Add **AQUASPA™ SPA SHOCK** at **20 gram per 1000 litres**.
Run filtration pump **ONLY** for 30 minutes.
6. Add **AQUASPA™ SPA KLEER** at **60ml per 1000 litres**.
Run filtration pump **ONLY** for 30 minutes.
7. Run filtration pump for a minimum of **6 hours**, or until water is clear.
8. After **24 hours** remove filter cartridges and clean using **AQUASPA™ INSTANT FILTER KLENZ**.



HOW TO CONVERT AN EXISTING SPA OR HOT TUB TO AQUASPA™

Converting an existing spa to the **AQUASPA™ CHLORINE & BROMINE FREE SYSTEM** is an easy process. Soon you'll be enjoying the benefits of a sanitising system that is gentle on both you and your pocket! Follow the simple steps below and you'll be back in your spa in no time.

1. Remove the cover from the spa.
2. Remove filter cartridges and thoroughly clean using **AQUASPA™ FILTER KLENZ**.
3. Add **AQUASPA™ PIPE KLENZ** at a rate of **250ml per 1000 litres** then run pump for 2 hours (see label for full instructions).
4. Scoop foam residue from spa, drain spa then thoroughly wipe spa with soft cloth.
5. Refill spa through filter box with fresh water. Reinstall clean filter cartridges.
6. Add **AQUASPA™ CHLORINE REMOVER** as per label directions (all water has some chlorine) - **THIS STEP IS ESSENTIAL** (Run filtration pump **ONLY** for 30 minutes)
7. Check pH, Alkalinity and Calcium Hardness level using test strip.
 - pH should be between 7.4-7.6.
 - Alkalinity should be between 125 -150ppm.
 - Calcium Hardness should be between 200-275ppm.
 - Use **AQUASPA™ ALKALINITY ENHANCER** or **AQUASPA™ pH REDUCER** to adjust pH and Alkalinity levels.
 - Use **AQUASPA™ CALCIUM ENHANCER** to increase Calcium if necessary.
8. Add **AQUASPA™ SPA SANITISER** at **60ml per 1000 litres**. Run filtration pump **ONLY** for 1 hour.
9. Add **AQUASPA™ SPA SHOCK** at **20 grams per 1000 litres**.
Run filtration pump **ONLY** for 30 minutes.
10. Add **AQUASPA™ SPA KLEER** at **60ml per 1000 litres**.
Run filtration pump **ONLY** for 30 minutes.
11. Run filtration pump for a minimum of 6 hours, or until water is clear.
12. After 24 hours remove filter cartridges and clean using **AQUASPA™ INSTANT FILTER KLENZ**.



HOW TO CONTINUE TO MAINTAIN YOUR SPA OR HOT TUB WITH AQUASPA™

Maintaining a spa or hot tub with the **AQUASPA™ CHLORINE & BROMINE FREE SYSTEM** is a simple **3 STEP process**.

STEP 1: Add **AQUASPA™ SPA SANITISER** once per week at **60ml per 1000 litres**.

STEP 2: Add **AQUASPA™ SPA SHOCK** once per week at **20 grams per 1000 litres**.

STEP 3: Add **AQUASPA™ SPA KLEER** once per week at **60ml per 1000 litres**.

- **BALANCE pH, Alkalinity and Calcium Hardness** levels weekly using test strips (see levels below).
- When adding chemicals run the filtration pump **ONLY** and add each chemical at **30 minute intervals**

SOME HELPFUL TIPS

- More is **NOT BETTER** – **DO NOT OVERDOSE**
- Accurately calculate the **CORRECT VOLUME** of your spa or hot tub spa to ensure that you are not overdosing or underdosing with any of the chemicals in the **AQUASPA™ RANGE**. It is particularly important with regard to **AQUASPA™ SPA SANITISER** to add the correct dose each week
- When adding chemicals, run filtration pump **ONLY**
- Always remove the cover when adding chemicals and **LEAVE UNCOVERED FOR AT LEAST HALF AN HOUR** to allow spa to **breathe**
- When adjusting pH, it is better to use **HALF RECOMMENDED DOSE** at a time, rechecking after 1 hour
 - o pH should be between 7.4-7.6
 - o Alkalinity should be between 125- 50ppm
 - o Calcium Hardness should be between 200-275ppm
 - o Use **AQUASPA™ ALKALINITY ENHANCER** or **AQUASPA™ pH REDUCER** to adjust pH and Alkalinity levels
 - o Use **AQUASPA™ CALCIUM ENHANCER** to increase Calcium if necessary
- Use **AQUASPA™ INSTANT FILTER KLENZ** to clean filter cartridges once per week **OR** after high usage
- We recommend using **AQUASPA™ PIPE KLENZ** at least once every 3 months and it must be used prior to draining your Spa
 - o Spas should be drained **EVERY 3-6 MONTHS** and more often with high usage
- Alcohol consumption will significantly increase the amount of bodily fluids & fats released into the spa
 - o These body fats will be trapped in the filter cartridge until it becomes clogged
 - o The water will then start to cloud
 - o We recommend that, for optimum water clarity to be restored, filter cartridges should be cleaned immediately



Troubleshooting

If you have any problems with your spa, please check the suggested solutions below as these issues may be caused by improper adjustment or application of chemicals.

CLOUDY WATER

Cloudy water can be caused by one of 4 issues

1. INCORRECT WATER BALANCE

- Check and adjust **pH** to between **7.4 - 7.6**
- Check and adjust **Alkalinity** to between **125 – 150ppm**

2. INCORRECT DOSING OF AQUASPA™ SPA SANITISER AND/OR AQUASPA™ SPA KLEER

Either too much or too little can cause cloudy water.

- Test the sanitiser level – this should be **15-20ppm**
- If spa has been overdosed
 - Remove 1/3rd of the water
 - Dilute with fresh water
 - Retest

3. BLOCKED FILTER CARTRIDGES

- Remove Filter Cartridges and clean with **AQUASPA™ INSTANT FILTER KLENZ**
- Shock dose the spa with a double dose of **AQUASPA™ SPA SHOCK** and run filter for 2 hours

4. BUILD UP OF BODY FATS IN PIPE WORK

- Use **AQUASPA™ PIPE KLENZ** and drain and refill spa

FOAMING

- Add one cap of **AQUASPA™ ANTI FOAM** to stop foaming
 - However, this will only mask the problem and not eliminate it

Foaming is usually caused by either **high levels of sanitiser**, **incorrect Water Balance** or an excess **build-up of body fats** in the filter or pipe work

To correct the problems

- **High levels of sanitiser**
 - Check sanitiser level and correct the dose if necessary
- **Incorrect Water Balance**
 - Test Water Balance parameters and correct if necessary
- **Build-up of body fats**
 - Thoroughly clean Filter Cartridge using **AQUASPA™ INSTANT FILTER KLENZ**
 - If necessary, use **AQUASPA™ PIPE KLENZ** and drain and refill spa

OFFENSIVE ODOUR

A strong chemical or offensive odour is usually caused either by

1. Too low a pH
2. Overdosing with **AQUASPA™ SPA SANITISER**
3. The presence of body fats

To remedy

- Check and adjust pH
- Dilute spa with fresh water if necessary
- Body fats can be treated by a dose of **AQUASPA™ SPA SHOCK** and adding fresh water if necessary

BROWN SCUM

A **light brown scum** around the waterline may occur.

This can be caused by

- The quality of your source water and any possible impurities
- if you have the jets and /or bubbles running when adding **AQUASPA™ SPA SANITISER**

If you encounter this

- Simply wipe some **AQUASPA™ pH REDUCER** with a soft cloth on to the brown scum to remove
- We provide a special **Spa Pad**, for this purpose, and it is included in our **AQUASPA™ START-UP KIT**



HERE IS THE AQUASPA™ COLLECTION

We hope you will gain much pleasure
and enjoyment from using it

AQUASPA™ SPA SANITISER

AQUASPA™ SPA SANITISER is the heart of the **AQUASPA™ CHLORINE-FREE SYSTEM** and provides ongoing protection for you and your family against harmful bacteria in your spa.

Here are some key features:

- A true non-chlorine or bromine based sanitiser
- Is ideal for allergy sufferers including those who suffer from asthma or sensitive skin
- Is gentle on your skin and hair
- Allows easy and economical maintenance of your spa with once-a-week dosing for normal conditions
- Can be used with all types of spa finishes and equipment
- Is compatible with Ozone generators

Dose rate: 60ml once a week per **1000 litres**
(6ml per 100 litres)

Ideal Sanitiser Level: 15-20ppm

Sizes available: 500mls, 2.5 litres and 5 litres



AQUASPA™ SPA KLEER

AQUASPA™ SPA KLEER is a totally natural product that comes direct from the sea, being made up from crushed shells of crabs, prawns and lobsters.

AQUASPA™ SPA KLEER is designed to change the appearance your spa or hot tub by clearing away the large amounts of oils and body fats that accumulate in the water due the environment being one of a high temperature. These oils and body fats cause a significant drop in the quality and appearance of both the water and the spa surface and, by removing them, it also allows your sanitiser to work more efficiently and economically.

Dose rate: 60ml once a week per **1000 litres**
(6ml per 100 litres)

Sizes available: 500mls, 2.5 litres and 5 litres



AQUASPA™ SPA SHOCK

AQUASPA™ SPA SHOCK is a chlorine free shock treatment that assists **AQUASPA™ SPA SANITISER** and your spa filter by removing contaminants from your spa or hot tub making sanitation and filtration much more efficient. It is very fast acting, and a spa or hot tub may be used only 15 minutes after dosing. Oxidising your spa or hot tub destroys odours and wastes that are missed during sanitation, increases bather comfort and restores sparkle to the water.

Dose rate: 20 grams once a week per 1000 litres and/or after each use for optimum water clarity

Sizes available: 500gm, 1kg and 5kg



AQUASPA™ INVIGORATE

AQUASPA™ INVIGORATE will provide you with the healthiest, most enjoyable and relaxing spa sensation that you have ever experienced. It is produced from a combination of magnesium, potassium and ocean trace elements and these health promoting minerals, all created by mother nature, will

- Offer you a comforting and health providing bathe
- Immerse you in significantly softer water
- Give you a luxurious bathing experience
- Soothe and nourish skin and hair
- Help relieve both aches and pains
- Relax muscles and reduce tension
- Assist with cramps, nervous system and blood pressure

Dose rate: 50ml once a week per 1000 litres (5ml per 100 litres)

Sizes available: 500mls and 2.5 litres



AQUASPA™ pH REDUCER

AQUASPA™ pH REDUCER lowers the pH and Total Alkalinity of spa and hot tub water. Water high in pH and /or Total Alkalinity can cause scale formation, metal staining, irritate skin and eyes of bathers.

- pH should be maintained in the range of **7.2 – 7.6**.
- Total Alkalinity should be maintained between **125ppm-150ppm**.
- It is recommended that your spa water is tested prior to adding **AQUASPA™ pH REDUCER**.
- Do not add more than **25 grams** of **AQUASPA™ pH REDUCER** per **1000 Litres** of water at any one time.
- Always adjust the Total Alkalinity **before** adjusting the pH.

Dose rate: Follow directions on product label

Sizes available: 500gm



AQUASPA™ ALKALINITY ENHANCER

AQUASPA™ ALKALINITY ENHANCER increases Total Alkalinity and pH in spa and hot tub water. The lack of buffering that occurs if the Total Alkalinity is too low will cause the pH to fluctuate significantly. Water low in Total Alkalinity can also corrode equipment, etch some spa surfaces, cause skin and eye irritation in bathers.

- pH should be maintained in the range of **7.2 – 7.6**.
- Total Alkalinity should be maintained between **125ppm-150ppm**.
- It is recommended that your spa water is tested prior to adding **AQUASPA™ ALKALINITY ENHANCER**.

Dose rate: To raise Total Alkalinity by **10 ppm** add **18 grams** of **AQUASPA™ ALKALINITY ENHANCER** per **1000 litres**

IMPORTANT: Do not add more than **40gms** per **1000 litres** at a time of **AQUASPA™ ALKALINITY ENHANCER**

Sizes available: 500gm



AQUASPA™ CALCIUM ENHANCER

AQUASPA™ CALCIUM ENHANCER increases the Calcium Hardness level in spa & hot tub water. Water which is low in calcium can corrode equipment, etch concrete and grouted surface, and provide an environment favourable to algal growth.

- Calcium Hardness level should be maintained between **200 and 275 ppm** for concrete and tiled spas and hot tubs, and between **175 and 225 ppm** for other surfaces.
- It is recommended that your spa water is tested prior to adding **AQUASPA™ CALCIUM ENHANCER**.

Dose rate: To raise total alkalinity by **10 ppm** add **10 grams** of **AQUASPA™ CALCIUM ENHANCER** per **1000 litres**

Sizes available: 500gm



AQUASPA™ PIPE KLENZ

AQUASPA™ PIPE KLENZ is a concentrated cleaner for internal pipe-work in Spas, Hot Tubs and Spa Baths. It also removes calcium, grime and organic build up. Whenever draining a spa pool or hot tub we recommend that, prior to doing so, **AQUASPA™ PIPE KLENZ** is used to ensure that all harboured body fats (including BIO-FILMS) are removed from the pipe work and associated systems.

Dose rate: Follow directions on product label

Sizes available: 500ml



AQUASPA™ INSTANT FILTER KLENZ

AQUASPA™ INSTANT FILTER KLENZ will quickly and easily clean your filters. This fast-acting cartridge cleaner removes debris, oils, body fats and dirt utilising a unique **“No Soak” formula**. This product is suitable for use with all cartridge filters – just **“Spray on and Hose off”**.

Dose rate: Follow directions on product label

Sizes available: 500ml



AQUASPA™ ANTI-FOAM

AQUASPA™ ANTI-FOAM is a fast-acting, powerful anti-foam formulation for eliminating unsightly foam in spas and hot tubs. Only a very small amount is required and should only be used when foam is present.

Dose rate: Follow directions on product label

Sizes available: 500ml, 5 litres



AQUASPA™ CHLORINE REMOVER

AQUASPA™ CHLORINE REMOVER uses a highly concentrated formulation to remove both chlorine and bromine from the water. Add when filling, refilling or topping up your spa or hot tub to **ensure that there is no chlorine present in the water**. It is the simple and easy way to reduce chlorine levels.

Dose rate: Follow directions on product label

Sizes available: 500ml



AQUASPA™ INSTA TEST STRIPS

The **AQUASPA™ INSTA TEST STRIPS** are used to test the various levels in your spa. You just immerse the strip for 2 seconds for a fast instant reading.

It tests for

- **BIGUANIDE (POLYHEXANIDE)**
- **ALKALINITY**
- **pH**
- **TOTAL HARDNESS**

In the **AQUASPA™ SYSTEM**, the **Ideal Sanitiser Level** is 15-20ppm

Sizes available: Jar containing 25 strips

*The **AQUA SPA™ INSTA TEST STRIPS** are included in the **AQUASPA™ START-UP KIT**



AQUASPA™ START-UP KIT

The **AQUASPA™ START-UP KIT** contains everything you will need to start using and getting the most enjoyment and satisfaction from your **AQUASPA™ CHLORINE AND BROMINE FREE SPA**.

- 500ml **AQUASPA™ SPA SANITISER**
- 500ml **AQUASPA™ SPA KLEER**
- 500gm **AQUASPA™ SPA SHOCK**
- 500ml **AQUASPA™ INVIGORATE**
- 500gm **AQUASPA™ ALKALINITY ENHANCER**
- 500gm **AQUASPA™ pH REDUCER**
- 500gm **AQUASPA™ CALCIUM ENHANCER**
- 500ml **AQUASPA™ CHLORINE REMOVER**
- 500ml **AQUASPA™ ANTI-FOAM**
- 500ml **AQUASPA™ INSTANT FILTER KLENZ**
- 500ml **AQUASPA™ PIPE KLENZ**
- **Insta Test Strips**
- **Spa Pad**
- **60ml Measuring Cup**
- **AQUASPA™ User Guide**



AQUASPA™ DOSAGE CHART

WHEN ADDING CHEMICALS TO THE WATER:

- Always ensure that the PUMP IS RUNNING.
- LEAVE THE COVER OFF for 30 minutes after adding chemicals.
- Add chemicals at 30 MINUTE INTERVALS.
- Always ADD chemicals to water and NOT water to chemicals.
- NEVER use chemicals containing CHLORINE in the spa.

- Dosages indicated are intended only as a guide.
- Follow dosage instructions on product labels.
- Products descriptions are in the **AQUASPA™ GUIDE**.

10 Gram = ONE ROUNDED TEASPOON 30 Gram = ONE TABLESPOON

AQUASPA PRODUCT	DOSAGE 100 Litres	DOSAGE 500 Litres
ON START UP		
AQUASPA™ Chlorine Remover	1.25ml	6.25ml
AQUASPA™ Spa Sanitiser	6ml	30ml
AQUASPA™ Spa Kleer	6ml	30ml
AQUASPA™ Spa Shock	2gm	10gm
AQUASPA™ Invigorate	5ml	25ml
AQUASPA™ Alkalinity Enhancer	As Required	As Required
AQUASPA™ pH Reducer	As Required	As Required
AQUASPA™ Calcium Enhancer	As Required	As Required
AQUASPA™ Instant Filter Klenz	Spray ON/Hose OFF	Spray ON/Hose OFF
AQUASPA™ Pipe Klenz	25ml	125ml

We recommend the use of AQUASPA Pipe Klenz on START UP when draining a spa prior to converting to AQUASPA

ADD DAILY OR AFTER EACH USE		
AQUASPA™ Alkalinity Enhancer	As Required	As Required
AQUASPA™ pH Reducer	As Required	As Required
AQUASPA™ Calcium Enhancer	As Required	As Required

ADD WEEKLY		
AQUASPA™ Spa Sanitiser	6ml	30ml
AQUASPA™ Spa Kleer	6ml	30ml
AQUASPA™ Spa Shock	2gm	10gm
AQUASPA™ Invigorate	5ml	25ml

We recommend an additional dose of AQUASPA Spa Shock after each use of spa

ADD FORTNIGHTLY (OR MORE FREQUENTLY IF REQUIRED)		
AQUASPA™ Instant Filter Klenz	Spray ON/Hose OFF	Spray ON/Hose OFF

ADD 3 MONTHLY		
AQUASPA™ Pipe Klenz	25ml	125ml

ADD WHEN REQUIRED		
AQUASPA™ Anti-Foam	As Required	As Required
AQUASPA™ Chlorine Remover	1.25ml	6.25ml

DOSAGE 1000 Litres	DOSAGE 1200 Litres	DOSAGE 1400 Litres	DOSAGE 1600 Litres
ON START UP			
12.5ml	15ml	17.5ml	20ml
60ml	72ml	84ml	96ml
60ml	72ml	84ml	96ml
20gm	24gm	28gm	32gm
50ml	60ml	70ml	80ml
As Required	As Required	As Required	As Required
As Required	As Required	As Required	As Required
As Required	As Required	As Required	As Required
Spray ON/Hose OFF	Spray ON/Hose OFF	Spray ON/Hose OFF	Spray ON/Hose OFF
250ml	300ml	350ml	400ml

We recommend the use of AQUASPA Pipe Klenz on START UP when draining a spa prior to converting to AQUASPA

ADD DAILY OR AFTER EACH USE			
As Required	As Required	As Required	As Required
As Required	As Required	As Required	As Required
As Required	As Required	As Required	As Required

ADD WEEKLY			
60ml	72ml	84ml	96ml
60ml	72ml	84ml	96ml
20gm	24gm	28gm	32gm
50ml	60ml	70ml	80ml

We recommend an additional dose of AQUASPA Spa Shock after each use of spa

ADD FORTNIGHTLY (OR MORE FREQUENTLY IF REQUIRED)			
Spray ON/Hose OFF	Spray ON/Hose OFF	Spray ON/Hose OFF	Spray ON/Hose OFF

ADD 3 MONTHLY			
250ml	300ml	350ml	400ml

ADD WHEN REQUIRED			
As Required	As Required	As Required	As Required
12.5ml	15ml	17.5ml	20ml



NOW ALL THAT REMAINS
IS FOR YOU TO ENJOY THE BENEFITS OF
AQUASPA™

For technical assistance with the entire AQUASPA™ range of chemicals please phone our friendly help desk on **1-800 64 POOL (7665)** or email us at info@lochlor.com.au.

For more information on the AQUASPA™ range go to
www.aquaspa.com.au



AQUASPA™

BY LO-CHLOR

For more information about the entire AQUASPA™
range of chemicals visit
www.aquaspa.com.au

Created & Manufactured by Lo-Chlor Chemicals



AUSSIE POOL & SPA SOLUTIONS MADE IN AUSTRALIA FOR AUSTRALIA

1800 64 POOL
7 6 8 5
info@lochlor.com.au
lochlor.com.au

lochlor
...because it works