

## SAFETY DATA SHEET

NSW 2204 Australia

Freecall 1800 64 POOL

Phone +61 2 9573 0777

This version issued: July, 2025

Fax +61 2 9573 0566

ABN 221591101577

### SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Chemical nature:** Trichloroisocyanuric acid and copper sulfate.  
**Trade Name:** **Multi Action Chlorine Tabs (200gm Tab)**  
**Product Use:** Pool and spa maintenance preparation.  
**Creation Date:** **May, 2015**  
**This version issued:** **July, 2025** and is valid for 5 years from this date.  
**Poisons Information Centre: Phone 13 1126 from anywhere in Australia**

### SECTION 2 - HAZARDS IDENTIFICATION

#### Statement of Hazardous Nature

**SUSMP Classification:** S6**ADG Classification:** Class 5.1: Oxidising substances.**UN Number:** 2468, TRICHLOROISOCYANURIC ACID, DRY

#### GHS Signal word: DANGER

Oxidising solid – category 2  
Acute toxicity (oral) – category 4  
Skin irritation – category 2  
Eye irritation – category 2A  
Specific target organ toxicity (single exposure) – category 3  
Hazardous to the aquatic environment (chronic) – category 1

#### HAZARD STATEMENT:

H272: May intensify fire; oxidizer.  
AUH031: Contact with acids liberates toxic gas.  
H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H410: Very toxic to aquatic life with long lasting effects.

#### PREVENTION

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P220: Keep or store away from combustible materials.  
P221: Take any precaution to avoid mixing with combustible or flammable materials.  
P261: Avoid breathing dusts.  
P264: Wash contacted areas thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well ventilated area.  
P280: Wear protective gloves, protective clothing and eye or face protection.

#### RESPONSE

P330: Rinse mouth.  
P362: Take off contaminated clothing and wash before reuse.  
P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.  
P302+P352: IF ON SKIN: Wash with plenty of soap and water.  
P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313: If skin irritation occurs: Get medical advice.

### SAFETY DATA SHEET

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: Not combustible. Use extinguishing media suited to burning materials. Coarse water spray is the preferred medium for large fires.

#### STORAGE

P404: Store in a closed container.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

#### DISPOSAL

P501: Dispose of contents and containers to landfill.

### EMERGENCY OVERVIEW

**Physical Description & colour:** Pale blue tablets.

**Odour:** Chlorine odour.

**Major Health Hazards:** irritating to eyes, respiratory system and skin, harmful if swallowed.

### SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredients                           | CAS No     | Conc, % | TWA (mg/m <sup>3</sup> ) | STEL (mg/m <sup>3</sup> ) |
|---------------------------------------|------------|---------|--------------------------|---------------------------|
| Chlorine as Trichloroisocyanuric acid | 87-90-1    | >80     | not set                  | not set                   |
| Aluminium sulfate                     | 10043-01-3 | >6      | not set                  | not set                   |
| Copper sulfate pentahydrate           | 7758-99-8  | >3      | not set                  | not set                   |
| Other non hazardous ingredients       | secret     | to 100  | not set                  | not set                   |

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### SECTION 4 - FIRST AID MEASURES

#### General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** If irritation occurs, contact a Poisons Information Centre, or call a doctor. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. In severe cases, symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Quickly and gently brush away excess particles. Wash gently and thoroughly with warm water (use non-abrasive soap if necessary) for 10-20 minutes or until product is removed. Under running water, remove contaminated clothing, shoes and leather goods (e.g. watchbands and belts) and completely decontaminate them before reuse or discard. If irritation persists, repeat flushing and seek medical attention.

**Eye Contact:** Quickly and gently brush particles from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If swallowed, do NOT induce vomiting. Wash mouth with water and contact a Poisons Information Centre, or call a doctor.

### SECTION 5 - FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions. The presence of this product in a fire is likely to intensify the fire due to its oxidising properties.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

**Extinguishing Media:** Coarse water spray is the preferred medium for large fires. Try to contain spills, minimise spillage entering drains or water courses.

### SAFETY DATA SHEET

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is liquid-tight chemical protective clothing and breathing apparatus.

**Flammability Class:** Does not burn.

---

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

---

**Accidental release:** In the event of a major spill, prevent spillage from entering drains or water courses. Evacuate the spill area and deny entry to unnecessary and unprotected personnel. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include cotton, rubber, PVC, Viton. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles e.g. silica & asbestos.

Stop leak if safe to do so, and contain spill. Under no circumstances should sawdust or other combustible material be used. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Contaminated area may be neutralised by washing with weak or dilute reducing agent. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

---

## SECTION 7 - HANDLING AND STORAGE

---

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Store in a cool, well ventilated area. Check containers periodically for corrosion and leaks. Containers should be kept closed in order to minimise contamination, especially from combustible or reducing materials. Make sure that the product does not come into contact with or substances listed under "Incompatibilities" in Section 10. If you keep more than 2500kg or L of Dangerous Goods of Packaging Group II, you may be required to license the premises or notify your Dangerous Goods authority. If you have any doubts, we suggest you contact your Dangerous Goods authority in order to clarify your obligations. Check packaging - there may be further storage instructions on the label.

---

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

---

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

**SWA Exposure Limits**                      **TWA (mg/m<sup>3</sup>)**                                      **STEL (mg/m<sup>3</sup>)**

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

**Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

**Skin Protection:** Prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin areas are covered. See below for suitable material types.

**Protective Material Types:** We suggest that protective clothing be made from the following materials: cotton, rubber, PVC, Viton.

**Respirator:** If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being handled commercially.

## SAFETY DATA SHEET

---

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES:

---

|   |                                      |
|---|--------------------------------------|
| <b>Physical Description &amp; colour:</b> | Pale blue tablets.                   |
| <b>Odour:</b>                             | Chlorine odour.                      |
| <b>Boiling Point:</b>                     | Decomposes before boiling at 100kPa. |
| <b>Flash point:</b>                       | Does not burn.                       |
| <b>Upper Flammability Limit:</b>          | Does not burn.                       |
| <b>Lower Flammability Limit:</b>          | Does not burn.                       |
| <b>Autoignition temperature:</b>          | Not applicable - does not burn.      |
| <b>Freezing/Melting Point:</b>            | 225°C                                |
| <b>Volatiles:</b>                         | Nil at 100°C.                        |
| <b>Vapour Pressure:</b>                   | Nil at normal ambient temperatures.  |
| <b>Vapour Density:</b>                    | Not applicable.                      |
| <b>Specific Gravity:</b>                  | No data.                             |
| <b>Water Solubility:</b>                  | 12g/L at 25°C                        |
| <b>pH:</b>                                | No data.                             |
| <b>Volatility:</b>                        | Nil at normal ambient temperatures.  |
| <b>Odour Threshold:</b>                   | No data.                             |
| <b>Evaporation Rate:</b>                  | Not applicable.                      |
| <b>Coeff Oil/water distribution:</b>      | No data                              |
| <b>Particle Characteristics:</b>          | Tablets.                             |
| <b>Autoignition temp:</b>                 | Not applicable - does not burn.      |

---

## SECTION 10 - STABILITY AND REACTIVITY

---

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties. Check the Safety Directions on the product label for further details of incompatibilities.

**Conditions to Avoid:** This product should be kept in a cool place, preferably below 30°C. Keep containers tightly closed. Containers should be kept dry. Keep containers and surrounding areas well ventilated. Keep isolated from combustible materials.

**Incompatibilities:** strong acids, strong bases, strong reducing agents, zinc, tin, aluminium and their alloys, combustible materials.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen chloride gas, other compounds of chlorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.

---

## SECTION 11 - TOXICOLOGICAL INFORMATION

---

### Local Effects:

**Target Organs:** There is no data to hand indicating any particular target organs.

---

## CLASSIFICATION OF HAZARD STATEMENT:OUS INGREDIENTS

---

| Ingredient  | Health Hazard Statement Codes                    |
|---|--|
| Trichloroisocyanuric Acid   | H302, H332, H315, H319, H335, AUH031, H272, H410 |
| <ul style="list-style-type: none"> <li>Acute toxicity – category 4</li> <li>Acute toxicity – category 4</li> <li>Skin irritation – category 2</li> <li>Eye irritation – category 2A</li> <li>Specific target organ toxicity (single exposure) – category 3</li> <li>Oxidising solid – category 2</li> <li>Hazardous to the aquatic environment (chronic) – category 1</li> <li>Hazardous to the aquatic environment (acute) – category 1</li> </ul> |  |
| Aluminium sulfate   | H319   |
| <ul style="list-style-type: none"> <li>Eye irritation – category 2A</li> </ul>  |  |

## SAFETY DATA SHEET

Issued by: ClearChem

Freecall 1800 64 POOL (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Copper sulfate pentahydrate H302, H318, H410

- Acute toxicity – category 4 (*ATE* = 481 mg/kg bw)
- Eye damage – category 1
- Hazardous to the aquatic environment (acute) – category 1 (*M* = 10)
- Hazardous to the aquatic environment (chronic) – category 1 (*M* = 1)

---

## POTENTIAL HEALTH EFFECTS

---

### Inhalation:

**Short term exposure:** Available data indicates that this product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased.

**Long Term exposure:** No data for health effects associated with long term inhalation.

### Skin Contact:

**Short term exposure:** Available data indicates that this product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term exposure:** No data for health effects associated with long term skin exposure.

### Eye Contact:

**Short term exposure:** This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

**Long Term exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is harmful, but symptoms are not available. However, this product is an oral irritant. Symptoms may include burning sensation and reddening of skin in mouth and throat. Other symptoms may also become evident, but all should disappear once exposure has ceased.

**Long Term exposure:** No data for health effects associated with long term ingestion.

### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA.

**NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** No significant ingredient is classified as carcinogenic by IARC.

---

## SECTION 12 - ECOLOGICAL INFORMATION

---

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities.

---

## SECTION 13 - DISPOSAL CONSIDERATIONS

---

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill, but we recommend that it be neutralised in a controlled manner before disposal.

---

## SECTION 14 - TRANSPORT INFORMATION

---

**Dangerous according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.**

**UN Number:** 2468, TRICHLOROISOCYANURIC ACID, DRY

**Hazchem Code:** 1WE

**Special Provisions:** None allocated

**Limited quantities:** ADG 7 specifies a Limited Quantity value of 1 kg for this class of product.

**Dangerous Goods Class:** Class 5.1: Oxidising Agents.

**Packing Group:** II

## SAFETY DATA SHEET

Issued by: ClearChem

Freecall 1800 64 POOL (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

**Packing Instruction:** P002, IBC08

Class 5.1 Oxidising Agents shall not be loaded in the same vehicle or packed in the same freight container with Classes 1 (Explosives), 2.1 (Flammable Gases), 2.3 (Toxic Gases), 3 (Flammable Liquids), 4.1 (Flammable Solids), 4.2 (Spontaneously Combustible Substances), 4.3 (Dangerous When Wet Substances), 5.2 (Organic Peroxides), 6 (Toxic Substances, where the Toxic Substance is a fire risk substance), 7 (Radioactive Substances), 8 (Corrosive Substances), 9 (Miscellaneous Dangerous Goods, where the substance is a fire risk substance), Fire risk substances other than Dangerous Goods. They may however be loaded in the same vehicle or packed in the same freight container with Classes 2.2 (Non-Flammable, Non-Toxic Gases), 6 (Toxic Substances except where the substances are fire risk substances), 9 (Miscellaneous Dangerous Goods except where the goods are fire risk substances) Foodstuffs and foodstuff empties.

---

**SECTION 15 - REGULATORY INFORMATION**

---

**AIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.  
The following ingredients: Trichloroisocyanuric acid, Copper sulfate are mentioned in the SUSMP.

---

**SECTION 16 - OTHER INFORMATION**

---

See our web site at [www.lo-chlor.com](http://www.lo-chlor.com)

**This SDS contains only safety-related information. For other data see product literature.**

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD STATEMENT: INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7  
Copyright © Kilford & Kilford Pty Ltd, July, 2025.

<http://www.kilford.com.au> Phone (02)8321 8866

**SAFETY DATA SHEET**